

# White Moulded

The Sollysta White Moulded wiring accessory range is one of the easiest on the market to install with the shallowest back projection offering more cabling space.

Behind the faceplate the terminals face in the same direction with lead-ins for wiring, backed off screws held captive to prevent loss, wire end stops and clear white labelling off a dark grey background.

The wall switches are also the market's first with a neutral loop terminal built into the accessory. This allows the installer to complete the loop connection in the switch instead of in the ceiling rose.

White Moulded Switches	2
White Moulded Dimmers	5
White Moulded Sockets	6
White Moulded Outlet Plates	8
White Moulded Fused Connection Units	9
White Moulded Telephone, TV & Data	12
White Moulded Euro Accomodation Plates & Modules	13
White Moulded Ceiling Switches	14
White Moulded Blank Plates	15



WMPS11

## 10AX Wall Switches

- Unique patented loop terminal allows neutral looping at the switch.
- Complies with BS EN 60669-1, a.c only.
- 'X' rated - No need to derate for uorescent loads.
- Two way switches can be wired either 1 way or 2 way.
- Clear terminal markings: 1-way L1, 2-way L2
- Capacity of each terminal 2 x 4.0mm<sup>2</sup> conductors.
- For multigang switches use of a 25mm mounting box will provide increased wiring space.
- Supplied with M3.5 x 20mm long xing screws.

Description	Cat ref.	Trade Price
10AX 1 Gang 1 Way Wall Switch	<b>WMPS11</b>	2,03 £/prt.
10AX 1Gang 1 Way Wall Switch Marked 'FAN'	<b>WMPS11/FAN</b>	2,67 £/prt.
10AX 1 Gang 2 Way Wall Switch	<b>WMPS12</b>	2,64 £/prt.
10AX 2 Gang 2 Way Wall Switch	<b>WMPS22</b>	4,70 £/prt.
10AX 3 Gang 2 Way Wall Switch	<b>WMPS32</b>	6,81 £/prt.
10AX 4 Gang 2 Way Wall Switch	<b>WMPS42</b>	19,27 £/prt.
10AX 6 Gang 2 Way Wall Switch	<b>WMPS62</b>	40,09 £/prt.
10AX 1 Gang 2 Way Wall Switch Wide Rocker	<b>WMPS12W</b>	5,12 £/prt.
10AX 2 Gang 2 Way Wall Switch Wide Rocker	<b>WMPS22W</b>	6,72 £/prt.



WMPS16

## Intermediate Switches

- Unique patented loop terminal allows neutral looping at the switch.
- Complies with BS EN 60669-1, a.c only.
- 'X' rated - No need to derate for uorescent loads.
- Two way switches can be wired either 1 way or 2 way.
- Clear terminal markings: 1-way L1, 2-way L2
- Capacity of each terminal 2 x 4.0mm<sup>2</sup> conductors.
- For multigang switches use of a 25mm mounting box will provide increased wiring space.
- Supplied with M3.5 x 20mm long xing screws.

Description	Cat ref.	Trade Price
Intermediate Switch	<b>WMPS16</b>	16,39 £/prt.
Intermediate Switch Wide Rocker	<b>WMPS16W</b>	16,66 £/prt.



WMPS12RB

## Push Switches

- Unique patented loop terminal allows neutral looping at the switch.
- Complies with BS EN 60669-1, a.c only.
- 'X' rated - No need to derate for uorescent loads.
- Two way switches can be wired either 1 way or 2 way.
- Clear terminal markings: 1-way L1, 2-way L2
- Capacity of each terminal 2 x 4.0mm<sup>2</sup> conductors.
- For multigang switches use of a 25mm mounting box will provide increased wiring space.
- Supplied with M3.5 x 20mm long xing screws.

Description	Cat ref.	Trade Price
Push Switch	<b>WMPS12R</b>	10,90 £/prt.
Push Switch with Bell Symbol	<b>WMPS12RB</b>	12,10 £/prt.
Push Switch Wide Rocker Grey	<b>WMPS12RW</b>	17,47 £/prt.



WMPS3PIF

## Isolator Switches

- Complies with BS EN 60669-2-4
- Rated conditional short circuit current (Inc) 1500A tested with Hager MTN110 6kA B curve MCB.
- Capacity of each terminal 2 x 4.0mm<sup>2</sup> conductors.
- Supplied with M3.5 x 20mm long xing screws.

Description	Cat ref.	Trade Price
3 Pole Isolator Switch	<b>WMPS3PI</b>	10,71 £/prt.
3 Pole Isolator Switch with Fan Symbol	<b>WMPS3PIF</b>	10,96 £/prt.



WMDP84

## 20A Double Pole Switches

- Complies with BS EN 60669-1, a.c. only.
- Cable clamp accommodates up to 1.5mm<sup>2</sup> flexible cord.
- Single screw fast fix cable clamp.
- Available with LED indicator in rocker.
- All terminal screws upward facing for ease of installation.
- Clearly printed and engraved terminal marking.
- Capacity of each terminal 2 x 6.0mm<sup>2</sup> conductors.
- Supplied with M3.5 x 30mm long xing screws.

Description	Cat ref.	Trade Price
20A Double Pole Switch	<b>WMDP84</b>	9,44 £/prt.
20A Double Pole Switch with Flex Outlet	<b>WMDP84FO</b>	9,44 £/prt.
20A Double Pole Switch with LED Indicator	<b>WMDP84N</b>	14,00 £/prt.
20A Double Pole Switch with LED Indicator & Flex Outlet	<b>WMDP84FON</b>	14,00 £/prt.
20A Double Pole Switch with LED Indicator Marked WATERHEATER	<b>WMDP85N</b>	20,82 £/prt.
20A Double Pole Switch with LED Indicator & Flex Outlet Marked WATERHEATER	<b>WMDP85FON</b>	20,82 £/prt.
20A DP Switch mkd DISHWASHER	<b>WMDP84DW</b>	17,19 £/prt.
20A Double Pole Switch Marked FREEZER	<b>WMDP84/FRE</b>	17,19 £/prt.
20A Double Pole Switch Marked FRIDGE	<b>WMDP84/FRI</b>	17,19 £/prt.
20A Double Pole Switch Marked TUMBLE DRYER	<b>WMDP84/TD</b>	17,19 £/prt.
20A Double Pole Switch Marked WASHING MACHINE	<b>WMDP84/WM</b>	17,19 £/prt.
20A Double Pole Switch with Flex Outlet Marked FREEZER	<b>WMDP84FO/FRE</b>	17,19 £/prt.
20A Double Pole Switch with Flex Outlet Marked FRIDGE	<b>WMDP84FO/FRI</b>	17,19 £/prt.
20A Double Pole Switch with Flex Outlet Marked TUMBLE DRYER	<b>WMDP84FO/TD</b>	17,19 £/prt.
20A Double Pole Switch with Flex Outlet Marked WASHING MACHINE	<b>WMDP84FO/WM</b>	17,19 £/prt.
20A Double Pole Switch with LED Indicator & Flex Outlet Marked DISHWASHER	<b>WMDP84FON/DW</b>	18,84 £/prt.
20A Double Pole Switch with LED Indicator & Flex Outlet Marked FAN	<b>WMDP84FON/FAN</b>	18,84 £/prt.
20A Double Pole Switch with LED Indicator & Flex Outlet Marked FREEZER	<b>WMDP84FON/FRE</b>	18,84 £/prt.
20A Double Pole Switch with LED Indicator & Flex Outlet Marked FRIDGE	<b>WMDP84FON/FRI</b>	18,84 £/prt.
20A Double Pole Switch with LED Indicator & Flex Outlet Marked TUMBLE DRYER	<b>WMDP84FON/TD</b>	18,84 £/prt.
20A Double Pole Switch with LED Indicator & Flex Outlet Marked WASHING MACHINE	<b>WMDP84FON/WM</b>	18,84 £/prt.
20A Double Pole Switch with LED Indicator Marked DISHWASHER	<b>WMDP84N/DW</b>	18,84 £/prt.
20A Double Pole Switch with LED Indicator Marked FAN	<b>WMDP84N/FAN</b>	18,84 £/prt.
20A Double Pole Switch with LED Indicator Marked FREEZER	<b>WMDP84N/FRE</b>	18,84 £/prt.
20A Double Pole Switch with LED Indicator Marked FRIDGE	<b>WMDP84N/FRI</b>	18,84 £/prt.
20A Double Pole Switch with LED Indicator Marked TUMBLEDRYER	<b>WMDP84N/TD</b>	18,84 £/prt.
20A Double Pole Switch with LED Indicator Marked WASHING MACHINE	<b>WMDP84N/WM</b>	18,84 £/prt.



WMDP50N

## 50A Double Pole Switches

- Complies with BS EN 60669-2-4.
- Rated conditional short circuit current (Inc) 1500A tested with Hager MTN150 6kA B curve MCB.
- LED indication.
- All terminal screws upward facing for ease of installation.
- Clearly printed terminal marking.
- Capacity of each terminal 2 x 6mm<sup>2</sup>, 1 x 10mm<sup>2</sup>.
- Supplied with M3.5 x 30mm long xing screws.

Description	Cat ref.	Trade Price
50A Double Pole Switch 1 Gang with LED Indicator	<b>WMDP50N</b>	18,31 £/prt.
50A Double Pole Switch 2 Gang Vertical with LED Indicator	<b>WMDP50VN</b>	22,43 £/prt.
50A Double Pole Switch 1 Gang with LED Indicator Marked COOKER	<b>WMDP50N/CK</b>	30,07 £/prt.
50A Double Pole Switch 1 Gang with LED Indicator Marked HOB	<b>WMDP50N/HB</b>	30,07 £/prt.
50A Double Pole Switch 1 Gang with LED Indicator Marked OVEN	<b>WMDP50N/OV</b>	30,07 £/prt.
50A Double Pole Switch 1 Gang with LED Indicator Marked SHOWER	<b>WMDP50N/SH</b>	30,07 £/prt.
50A Double Pole Switch 2 Gang Vertical with LED Indicator Marked COOKER	<b>WMDP50VN/CK</b>	28,26 £/prt.
50A Double Pole Switch 2 Gang Vertical with LED Indicator Marked HOB	<b>WMDP50VN/HB</b>	28,26 £/prt.
50A Double Pole Switch 2 Gang Vertical with LED Indicator Marked OVEN	<b>WMDP50VN/OV</b>	28,26 £/prt.



WMDS1

## Switch Dimmers

- Stylish flush buttons give easy press action.
- Quick press for on/off.
- Hold button down to dim or brighten light level.
- Leading edge.
- Soft start feature prolongs lamp life.
- Suitable for dimming mains and dimmable transformer extra low voltage lamps.
- Complies with BS EN 60669-2-1 (including BS EN 55015).
- Automatic switch off in event of transformer instability protects the dimmer and the transformer.
- Supplied with M3.5 x 30mm long xing screws.

Description	Cat ref.	Trade Price
1 Gang Dimmmer 400W	<b>WMDS1</b>	76,09 £/prt.
2 Gang Dimmer 250W	<b>WMDS2</b>	150,21 £/prt.
3 Gang Dimmer 250W	<b>WMDS3</b>	228,51 £/prt.
4 Gang Dimmer 250W	<b>WMDS4</b>	299,79 £/prt.
Resistive Load for LED applications	<b>WMRESLOAD</b>	64,89 £/prt.



WMDR1/400R

## Rotary Push Button Dimmers

- Quick press for on/off.
- Rotary dimming control.
- 1 or 2 way switching.
- Supplied with M3.5 x 30mm long xing screws.
- Suitable for resistive loads e.g. incandescent loads.
- Suitable for mains halogen lamps without the need for derating.
- Not suitable for fluorescent, LED or inductive loads.
- Complies with BS EN 60669-2-1 (excluding clause 26 EMC requirements).
- Also available in our grid range.

Description	Cat ref.	Trade Price
1 Gang Dimmer 60-400W, 230V, 50/60Hz	<b>WMDR1/400R</b>	45,65 £/prt.
2 Gang Dimmer 60-250W/gang, 230V, 50/60Hz	<b>WMDR2/250R</b>	76,94 £/prt.
Resistive Load for LED applications	<b>WMRESLOAD</b>	64,89 £/prt.



WMSS82USB

## USB Sockets

- Twin charging ports: The USB socket comes with two charging ports capable of delivering a total maximum charging current of 2.4A. This can be delivered to either port, or divided between the two ports as required, and controlled by the devices being charged. The ports are marked 5V ===2.4A.
- Intelligent connection: The Sollysta USB socket has built in intelligent connection, enabling the socket to identify itself as the dedicated primary charger for the connected device allowing for maximum charging capacity and improved charging speeds.
- Standby power: In standby mode the power consumption is <150mW and the average current (rms) < 1 milli amp.
- Can be installed in 35mm back boxes. Where 25mm back boxes are fitted, 10mm spacer WMUSBS should be used.
- The USB charger is protected against over-current and short circuit conditions on the output by a non-replaceable fuse. (i.e. the product will fail safe).
- Fuse rating: 3.15A/240VAC.

Description	Cat ref.	Trade Price
2 Gang Double Pole Switched Socket Complete With Twin USB Ports	<b>WMSS82USB</b>	47,59 £/prt.
2 Gang Double Pole Switched Socket Complete With Twin USB Ports and Spacer	<b>WMSS82USBS</b>	49,37 £/prt.
2 Gang 10mm Spacer	<b>WMUSBS</b>	2,36 £/prt.



WMSS81

## Switched Sockets

- Unique patented 3 part safety shutter.
- Complies with BS 1363-2, a.c only.
- Double pole switching mechanism on switched sockets.
- Twin socket comes with twin earth as standard.
- All terminal screws grouped in-line and upward facing for ease of installation.
- Clear printed and engraved terminal markings.
- Capacity of each terminal: 5 x 2.5mm<sup>2</sup> conductors switched
- Supplied with M3.5 x 30mm long xing screws.

Description	Cat ref.	Trade Price
1 Gang Double Pole Switched Socket	<b>WMSS81</b>	5,96 £/prt.
2 Gang Double Pole Switched Socket Dual Earth	<b>WMSS82</b>	8,01 £/prt.
2 Gang Double Pole Switched Socket Dual Earth Marked HOUSERING	<b>WMSS82/HOUSERN G</b>	11,12 £/prt.
2 Gang Double Pole Switched Socket Dual Earth Outboard Rockers	<b>WMSS82O</b>	9,52 £/prt.
1 Gang Double Pole Switched Socket with LED Indicator	<b>WMSS81N</b>	12,89 £/prt.
2 Gang Double Pole Switched Socket Dual Earth with LED Indicators	<b>WMSS82N</b>	25,07 £/prt.
2 Gang Double Pole Switched Socket Dual Earth Outboard Rocker with LED Indicator	<b>WMSS82ON</b>	25,07 £/prt.
1 Gang 15A Round Pin Switched Socket	<b>WMSS115</b>	17,09 £/prt.



WMS51

## Unswitched Sockets

- Unique patented 3 part safety shutter.
- Complies with BS 1363-2, a.c only.
- Double pole switching mechanism on switched sockets.
- Twin socket comes with twin earth as standard.
- All terminal screws grouped in-line and upward facing for ease of installation.
- Clear printed and engraved terminal markings.
- Capacity of each terminal: 4 x 2.5mm<sup>2</sup> unswitched.
- Supplied with M3.5 x 30mm long xing screws.

Description	Cat ref.	Trade Price
5A 1 Gang Unswitched Socket	<b>WMS51</b>	9,19 £/prt.
13A 1 Gang Unswitched Socket	<b>WMS81</b>	5,51 £/prt.
13A 2 Gang Unswitched Socket Dual Earth	<b>WMS82</b>	8,96 £/prt.




WMCC50

## Cooker Control Unit

- Complies with BS 4177.
- Switch and socket are double pole.
- Twin earth as standard.
- Available with optional LED indication.
- Main switch is suitable for isolation.
- All terminals are upward facing for ease of installation.
- Clearly printed terminal marking.
- Capacity of terminals 2 x 6.0mm<sup>2</sup>, 1 x 16.0mm<sup>2</sup>.
- Supplied with M3.5 x 30mm long xing screws.

Description	Cat ref.	Trade Price
Cooker Control Unit	<b>WMCC50</b>	24,62 £/prt.
Cooker Control Unit with LED Indicator	<b>WMCC50N</b>	27,98 £/prt.



WMSO100

## Shaver Socket

- Complies with BS EN 61558-2-5
- Capacity of each terminal 2 x 2.5mm<sup>2</sup> conductors.
- Designed for use in bathrooms and shower rooms and incorporates a double wound transformer for an earth free supply.
- Input 230V a.c. output dual voltage 230V a.c. and 115V a.c. outlets.
- Rating 20VA on either voltage.
- Primary circuit protected by a self resetting thermal overload device.
- Insertion of shaver plug automatically switches on the transformer.
- Supplied with M3.5 x 30mm long xing screws.

Description	Cat ref.	Trade Price
115/230 Volt Shaver Outlet	<b>WMSO100</b>	53,02 £/prt.





WMP2FO

## Outlet Plates

- Complies with BS 5733.
- Terminal capacity: 20A 2 x 6.0mm<sup>2</sup>, 45A 2 x 10.0mm<sup>2</sup> conductors.
- 20A plate features 2 separate terminals for each of Line, Neutral and Earth so flexible and fixed wiring do not occupy the same terminal.
- Single screw fast fix cable clamp.
- Supplied with M3.5 x 30mm long fixing screws.
- 45A features large open brass terminals for ease of installation.
- Protective red washer must be used under cable clamp to prevent damage to cable.
- Supplied with M3.5 x 20mm long xing screws.

Description	Cat ref.	Trade Price
Flex Outlet Plate 20A	<b>WMP2FO</b>	8,61 £/prt.
Cooker Cable Outlet with Terminals 45A	<b>WMP50FO</b>	11,03 £/prt.



WMSU83

## Unswitched 13A Fused Connection Unit

- Complies with BS 1363-4.
- Cable clamp accommodates up to 1.5mm<sup>2</sup> flexible cord.
- Single screw fast fix cable clamp.
- All terminal screws upward facing for ease of installation.
- Clearly printed terminal markings.
- Capacity of each terminal 2 x 6.0 mm<sup>2</sup> conductors.
- Supplied with M3.5 x 30mm long fixing screws.

Description	Cat ref.	Trade Price
13A FCU Unswitched	<b>WMSU83</b>	9,36 £/prt.
13A FCU Unswitched with Flex Outlet	<b>WMSU83FO</b>	9,36 £/prt.



WMSSU83

## Switched 13A Fused Connection Unit

- Complies with BS 1363-4.
- Cable clamp accommodates up to 1.5mm<sup>2</sup> flexible cord.
- Single screw fast fix cable clamp.
- Available with LED light indicator in rocker.
- All terminal screws upward facing for ease of installation.
- Clearly printed terminal markings.
- Capacity of each terminal 2 x 6.0 mm<sup>2</sup> conductors.
- Supplied with M3.5 x 30mm long fixing screws.

Description	Cat ref.	Trade Price
13A FCU Switched	<b>WMSSU83</b>	10,57 £/prt.
13A FCU Switched with Flex Outlet	<b>WMSSU83FO</b>	10,98 £/prt.
13A FCU Switched with LED Indicator	<b>WMSSU83N</b>	17,19 £/prt.
13A FCU Switched with LED Indicator and Flex Outlet	<b>WMSSU83FON</b>	17,19 £/prt.
Switched Fused Spur Fitted with 3A Fuse	<b>WMSSU83/3A</b>	27,00 £/prt.

## Switched & Printed 13A Fused Connection Unit

- Complies with BS 1363-4.
- Cable clamp accommodates up to 1.5mm<sup>2</sup> flexible cord.
- Single screw fast fix cable clamp.
- Available with LED light indicator in rocker.
- All terminal screws upward facing for ease of installation.
- Clearly printed terminal markings.
- Capacity of each terminal 2 x 6.0 mm<sup>2</sup> conductors.
- Supplied with M3.5 x 30mm long fixing screws.

Description	Cat ref.	Trade Price
13A FCU Switched Marked BOILER	<b>WMSSU83/BO</b>	18,52 £/prt.
13A FCU Switched Marked CENTRAL HEATING	<b>WMSSU83/CTLHTG</b>	18,52 £/prt.
13A FCU Switched Marked DISHWASHER	<b>WMSSU83/DW</b>	18,52 £/prt.
13A FCU Switched Marked EXTRACT FAN	<b>WMSSU83/EF</b>	18,52 £/prt.
13A FCU Switched Marked FAN	<b>WMSSU83/FAN</b>	19,07 £/prt.
13A FCU Switched Marked FRIDGE FREEZER	<b>WMSSU83/FF</b>	18,52 £/prt.
13A FCU Switched Marked FREEZER	<b>WMSSU83/FRE</b>	18,52 £/prt.
13A FCU Switched Marked FRIDGE	<b>WMSSU83/FRI</b>	18,52 £/prt.
13A FCU Switched Marked HEATING	<b>WMSSU83/HTG</b>	18,52 £/prt.
13A FCU Switched Marked HEATER	<b>WMSSU83/HTR</b>	18,52 £/prt.
13A FCU Switched Marked SHOWER PUMP	<b>WMSSU83/SHWRPU</b>	18,52 £/prt.
	<b>MP</b>	
13A FCU Switched Marked SOCKET BELOW	<b>WMSSU83/SKTBEL</b>	18,52 £/prt.
	<b>OW</b>	
13A FCU Switched Marked TUMBLE DRYER	<b>WMSSU83/TD</b>	18,52 £/prt.
13A FCU Switched Marked WASHING MACHINE	<b>WMSSU83/WM</b>	18,52 £/prt.

**Switched & Printed 13A Fused Connection Unit with Flex Outlet**

- Complies with BS 1363-4.
- Cable clamp accommodates up to 1.5mm<sup>2</sup> flexible cord.
- Single screw fast fix cable clamp.
- Available with LED light indicator in rocker.
- All terminal screws upward facing for ease of installation.
- Clearly printed terminal markings.
- Capacity of each terminal 2 x 6.0 mm<sup>2</sup> conductors.
- Supplied with M3.5 x 30mm long fixing screws.

Description	Cat ref.	Trade Price
13A FCU Switched with Flex Outlet Marked BOILER	<b>WMSSU83FO/BO</b>	18,52 £/prt.
13A FCU Switched with Flex Outlet Marked DISHWASHER	<b>WMSSU83FO/DW</b>	18,52 £/prt.
13A FCU Switched with Flex Outlet Marked EXTRACT FAN	<b>WMSSU83FO/EF</b>	18,52 £/prt.
13A FCU Switched with Flex Outlet Marked FRIDGE FREEZER	<b>WMSSU83FO/FF</b>	18,52 £/prt.
13A FCU Switched with Flex Outlet Marked FREEZER	<b>WMSSU83FO/FRE</b>	18,52 £/prt.
13A FCU Switched with Flex Outlet Marked FRIDGE	<b>WMSSU83FO/FRI</b>	18,52 £/prt.
13A FCU Switched with Flex Outlet Marked HEATING	<b>WMSSU83FO/HTG</b>	18,52 £/prt.
13A FCU Switched with Flex Outlet Marked HEATER	<b>WMSSU83FO/HTR</b>	18,52 £/prt.
13A FCU Switched with Flex Outlet Marked TUMBLE DRYER	<b>WMSSU83FO/TD</b>	18,52 £/prt.
13A FCU Switched with Flex Outlet Marked WASHING MACHINE	<b>WMSSU83FO/WM</b>	18,52 £/prt.

**Switched & Printed 13A Fused Connection Unit with LED & Flex Outlet**

- Complies with BS 1363-4.
- Cable clamp accommodates up to 1.5mm<sup>2</sup> flexible cord.
- Single screw fast fix cable clamp.
- Available with LED light indicator in rocker.
- All terminal screws upward facing for ease of installation.
- Clearly printed terminal markings.
- Capacity of each terminal 2 x 6.0 mm<sup>2</sup> conductors.
- Supplied with M3.5 x 30mm long fixing screws.

Description	Cat ref.	Trade Price
13A FCU Switched with LED Indicator and Flex Outlet Marked Marked BOILER	<b>WMSSU83FON/BO</b>	25,46 £/prt.
13A FCU Switched with LED Indicator and Flex Outlet Marked DISHWASHER	<b>WMSSU83FON/DW</b>	25,46 £/prt.
13A FCU Switched with LED Indicator and Flex Outlet Marked EXTRACT FAN	<b>WMSSU83FON/EF</b>	25,46 £/prt.
13A FCU Switched with LED Indicator and Flex Outlet Marked FAN	<b>WMSSU83FON/FAN</b>	25,46 £/prt.
13A FCU Switched with LED Indicator and Flex Outlet Marked FREEZER	<b>WMSSU83FON/FRE</b>	25,46 £/prt.
13A FCU Switched with LED Indicator and Flex Outlet Marked FRIDGE	<b>WMSSU83FON/FRI</b>	25,46 £/prt.
13A FCU Switched with LED Indicator and Flex Outlet Marked HOB	<b>WMSSU83FON/HB</b>	25,46 £/prt.
13A FCU Switched with LED Indicator and Flex Outlet Marked HEATING	<b>WMSSU83FON/HTG</b>	25,46 £/prt.
13A FCU Switched with LED Indicator and Flex Outlet Marked TUMBLEDRYER	<b>WMSSU83FON/TD</b>	25,46 £/prt.
13A FCU Switched with LED Indicator and Flex Outlet Marked WASHING MACHINE	<b>WMSSU83FON/WM</b>	25,46 £/prt.

## Switched & Printed 13A Fused Connection Unit with LED

- Complies with BS 1363-4.
- Cable clamp accommodates up to 1.5mm<sup>2</sup> flexible cord.
- Single screw fast fix cable clamp.
- Available with LED light indicator in rocker.
- All terminal screws upward facing for ease of installation.
- Clearly printed terminal markings.
- Capacity of each terminal 2 x 6.0 mm<sup>2</sup> conductors.
- Supplied with M3.5 x 30mm long fixing screws.

Description	Cat ref.	Trade Price
13A FCU Switched with LED Indicator Marked BOILER	<b>WMSSU83N/BO</b>	25,46 £/prt.
13A FCU Switched with LED Indicator Marked DISHWASHER	<b>WMSSU83N/DW</b>	25,46 £/prt.
13A FCU Switched with LED Indicator Marked EXTRACT FAN	<b>WMSSU83N/EF</b>	25,46 £/prt.
13A FCU Switched with LED Indicator Marked FAN	<b>WMSSU83N/FAN</b>	25,46 £/prt.
13A FCU Switched with LED Indicator Marked FREEZER	<b>WMSSU83N/FRE</b>	25,46 £/prt.
13A FCU Switched with LED Indicator Marked FRIDGE	<b>WMSSU83N/FRI</b>	25,46 £/prt.
13A FCU Switched with LED Indicator Marked HOB	<b>WMSSU83N/HB</b>	25,46 £/prt.
13A FCU Switched with LED Indicator Marked HEATING	<b>WMSSU83N/HTG</b>	25,46 £/prt.
13A FCU Switched with LED Indicator Marked TUMBLEDRYER	<b>WMSSU83N/TD</b>	25,46 £/prt.
13A FCU Switched with LED Indicator Marked WASHING MACHINE	<b>WMSSU83N/WM</b>	25,46 £/prt.



WMBTM

## Telephone & Data

- BT sockets comply with BS EN 6312-2.
- Supplied with fitted cable tie.
- Quick connection with insulation displacement terminals.
- RJ11 has toolless quick connect terminals.
- Clearly printed terminal marking.
- Supplied with M3.5 x 20mm long fixing screws.

Description	Cat ref.	Trade Price
BT Master Telephone Outlet	<b>WMBTM</b>	12,92 £/prt.
BT Secondary Telephone Outlet	<b>WMBTS</b>	8,54 £/prt.
RJ11 Socket	<b>WMRJ11</b>	12,00 £/prt.
RJ45 Socket	<b>WMRJ45</b>	12,24 £/prt.
PACK OF 10 IDC TOOLS - Punchdown tool used for telecommunication or network	<b>IDCTOOL</b>	13,87 £/prt.



WMSAT

## TV & Satellite

- TV outlets comply with BS 3041.
- Satellite outlets comply with BS EN 50083-2.
- Fully screened.
- DAB compatible.
- Supplied with M3.5 x 20mm fixing screws.

Description	Cat ref.	Trade Price
Single F Type Satellite Outlet Screened	<b>WMSAT</b>	22,20 £/prt.
Single Co-ax TV Socket Outlet Male	<b>WMTVM</b>	10,59 £/prt.
Single Co-ax TV Socket Outlet Female	<b>WMTVF</b>	10,59 £/prt.
Double TV & FM/DAB Co-Ax Socket Outlet	<b>WMDX</b>	26,12 £/prt.
Triplexer TV/FM/SAT Outlet	<b>WMTX</b>	30,42 £/prt.
Quadplexer TV, FM/DAB, Satellite 1 & Satellite 2 Outlet	<b>WMQX</b>	36,35 £/prt.



WMP1EU

## Euro Accommodation Plates

- Carrier plates facilitate installation of industry standard modular data outlets.
- Easy to configure for all applications.
- Easy installation of module to plate.
- Robust retention of modules in operation.
- Quick release of modules for maintenance.
- **Please note:** These are industry standard units and are not colour matched to Sollysta plates.

Description	Cat ref.	Trade Price
Euro Style Accomodation Plate 1 Module	<b>WMP1EU</b>	5,36 £/prt.
Euro Style Accomodation Plate 2 Module	<b>WMP2EU</b>	12,28 £/prt.
Euro Style Accomodation Plate 4 Module	<b>WMP4EU</b>	16,77 £/prt.
Lounge Plate for TV, Power & Data White Plate White Insert	<b>WFTVLPWW</b>	131,45 £/prt.



WMMBTM

## Euro Modules in White

Description	Cat ref.	Trade Price
BT Telephone Master Euromodule White	<b>WMMBTM</b>	14,62 £/prt.
BT Telephone Secondary Euromodule White	<b>WMMBTS</b>	10,37 £/prt.
RJ11 - Modem Euromodule White	<b>WMMRJ11</b>	10,69 £/prt.
RJ45 - CAT 6 UTP Euromodule White	<b>WMMRJ45</b>	12,61 £/prt.
Phono Plugs Red/Black Euromodule	<b>WMMPP</b>	10,24 £/prt.
Speaker Terminal Posts Euromodule White	<b>WMMSP</b>	14,54 £/prt.
Single IEC Female Euromodule White	<b>WMMTVF</b>	8,93 £/prt.
Single IEC Male Euromodule White	<b>WMMTVM</b>	10,90 £/prt.
Single Satellite F Connector Euromodule White	<b>WMMSAT</b>	13,10 £/prt.
Single Blank Euromodule White	<b>WMMB</b>	3,43 £/prt.
HDMI Outlet White	<b>WMMHDMI</b>	25,34 £/prt.
USB Euromodule White	<b>WMMUSB</b>	62,02 £/prt.
Diplexer TV & FM Radio Euromodule White	<b>WMMDX</b>	24,22 £/prt.
Triplexer TV, SAT & FM Euromodule White	<b>WMMTX</b>	25,52 £/prt.
Quadplexer TV/SAT/FM/RTRN Euromodule White	<b>WMMQX</b>	33,27 £/prt.
PIR 5m Detection Euromodule White	<b>WMMPIR05X</b>	245,71 £/prt.
PIR 10m Detection Euromodule White	<b>WMMPIR10X</b>	275,66 £/prt.

## Euro Module in Black

Description	Cat ref.	Trade Price
BT Telephone Master Euromodule Black	<b>WMMBTMB</b>	12,65 £/prt.
BT Telephone Secondary Euromodule Black	<b>WMMBTB</b>	8,99 £/prt.
RJ11 - Modem Euromodule Black	<b>WMMRJ11B</b>	9,17 £/prt.
RJ45 - CAT 6 UTP Euromodule Black	<b>WMMRJ45B</b>	10,61 £/prt.
Single IEC Female Euromodule Black	<b>WMMTVFB</b>	7,72 £/prt.
Single IEC Male Euromodule Black	<b>WMMTVMB</b>	9,45 £/prt.
Single Satellite F Connector Euromodule Black	<b>WMMSATB</b>	13,10 £/prt.
Single Blank Euromodule Black	<b>WMMBB</b>	2,98 £/prt.
HDMI Outlet Black	<b>WMMHDMIB</b>	25,34 £/prt.
USB Euromodule Black	<b>WMMUSBB</b>	54,77 £/prt.
Diplexer TV & FM Radio Euromodule Black	<b>WMMDXB</b>	20,37 £/prt.
Triplexer TV, SAT & FM Euromodule Black	<b>WMMTXB</b>	21,46 £/prt.
Quadplexer TV/SAT/FM/RTRN Euromodule Black	<b>WMMQXB</b>	30,22 £/prt.



WMCS11

## Light Switches

- Complies with BS EN 60669-1.
- 'X' rated - no need to derate for uorescent loads.
- Earth terminal in base.
- Switch will operate at up to an angle of 45 degrees.
- Pull cords 1.5m long.
- Capacity of each terminal: 2 x 1.5mm<sup>2</sup> conductors.

Description	Cat ref.	Trade Price
6A Ceiling Switch 1 Way	<b>WMCS11</b>	9,26 £/prt.
6A Ceiling Switch 2 Way	<b>WMCS12</b>	10,06 £/prt.



WMCS3PIF

## Fan Isolator Switches

- Complies with BS EN 60669-2-4
- Rated conditional short circuit current (Inc) 1500A tested with Hager MTN110 6kA B Curve MCB.
- Terminal capacity: 3 x 1.5mm<sup>2</sup>.
- Supplied with M3.5 x 30mm long xing screws.

Description	Cat ref.	Trade Price
10A 3P Ceiling Switch Marked FAN & ISOLATOR	<b>WMCS3PIF</b>	36,35 £/prt.
10A 3P Ceiling Switch Marked ISOLATOR	<b>WMCS3PI</b>	36,72 £/prt.
10A 3P Ceiling Switch Marked FAN	<b>WMCS3PF</b>	36,72 £/prt.



WMCS50N

## Shower Switches

- Complies with BS EN 60669-2-4.
- Rated conditional short circuit current (Inc) 1500A tested with Hager MTN150 6kA B Curve MCB.
- Suitable for use with showers up to 11.5kW.
- Position of the contacts shown by flag indicator.
- Supplied with M3.5 x 30mm xing screws.
- Capacity of each terminal: 1 x 16mm<sup>2</sup> conductor.

Description	Cat ref.	Trade Price
50A DP Ceiling Switch With LED Indicator	<b>WMCS50N</b>	24,77 £/prt.



WMP1

## Blank Plates

Description	Cat ref.	Trade Price
Single Blank Plate	<b>WMP1</b>	2,25 £/prt.
Twin Blank Plate	<b>WMP2</b>	3,81 £/prt.